EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	2	"20020069135"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:18
L8	1	7 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:18
L9	18	transiat\$3 with transmission adj3 capabilit \$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:23
L10	10	9 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 15:24
L11	2	"20010012302".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:16
L12	2	11 and translat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/29 16:16
S1	50	business with matching with automat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:31
S2	30	S1 and @ad<"20020109"	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:25
S3	15	S2 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/05/19 12:28

S4	114	business near3 matching with (translat\$ or conver\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 12:31
S5	7	S4 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:07
S6	2	"20030131120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:37
S7	1444	709/232,242.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:06
S8	1	S1 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:06
S9	26369	707/1-10,100-104.1,200- 205.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:07
S10	988	business with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:07
S11	330472	S7 na d9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:07
S12	92	S7 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:07
S13	143	S10 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/05/19 13:07

S14	86	S12 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:43
S15	83	S13 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:09
S16	2	"20010039570"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:09
S17	2	"20020123957"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:09
S18	2	"20030115182"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:37
S19	1	S18 and matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:46
S20	2	S18 and request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:49
S21	0	S18 and translat\$ with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:49
S22	0	S18 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:49
S23	1	S18 and translate\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 13:49

S24	1	S18 and translat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:00
S25	0	S18 and transfomation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 14:00
S26	3	"6912551".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:02
S27	0	S26 and transmission adj capab\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:02
S28	69	business with matching with automat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S29	33	S28 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S30	33	529	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S31	16	S29 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S32	16	S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S33	1625	709/232,242.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/11/21 12:35

S34	30096	707/1-10,100-104.1,200- 205.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S35	100	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S36	90	S35 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S37	90	\$36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S38	1120	business with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S39	161	S38 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S40	86	S39 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S41	86	\$40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:35
S42	3	[*] 6912551"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 16:37
S43	2	"20030115182"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/05/29 16:37

S44	0	S43 and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/29 16:37
S45	46	protocol with translation with hub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:32
S46	26	S45 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:37
S47	23	protocol with translation with hub and stor\$4 with hub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:34
S48	20	protocol with translation with hub and stor\$4 with hub and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:34
S49	4	protocol with translation with hub with format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:35
S50	3	protocol with translation with hub with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:36
S51	582	protocol with translation with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2007/06/06 11:40
S52	836	translation adj rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:40
S53	10	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/06 11:37

S54	5	S53 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 111:41
S55	18754	translation with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:40
S56	159	translation adj rule with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:44
S57	75	S56 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:46
S58	4	transfer\$5 with translation adj rule with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:45
S59	5750	transfer\$5 with format with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:45
S60	253	transfer\$5 with format with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:45
S61	902	transfer\$5 with format with translat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:46
S62	4	transfer\$5 with format with translat\$4 with business	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 11:46
S63	3	S62 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/06 12:28

S64	802	transfer\$3 with (format protocol) with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:28
S65	380	S64 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:29
S66	61	transfer\$3 with (format protocol) with stor\$3 with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 12:29
S67	33	S66 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:33
S68	2	"6967728".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:34
S69	1	S68 and stor\$3 with "16"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:38
S70	0	S68 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:38
S71	0	S68 and request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:49
S72	1	S68 and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 14:49
S73	2	"4047496".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/06 18:38

S74	2	"7047496".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:38
S75	2	"7047296".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 18:38
S76	1082	map\$4 with port with (logical name url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:43
S77	1084	map\$4 with port with (logical name url)"ab."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:43
S78	60	S76.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:43
S79	35	S78 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:46
S80	6619	generat\$4 with (WWN URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:45
S81	88	S80 with (prompt\$3 GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:45
S82	42	S81 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/11 11:46
S83	29	company with business with computer with printer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:24

S84	12	S83 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 08:25
S85	116	business with matching with automat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S86	41	S85 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S87	23	S86 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S88	18	business near3 matching with (translat\$ or conver\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S89	8	S88 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S90	2	"20030131120"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S91	2210	709/232,242.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S92	2	S85 and S91	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S93	45493	707/1-10,100-104.1,200- 205.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/29 10:19

S94	1719	business with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S95	682345	S91 na d9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S96	148	S91 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S97	285	S94 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S98	115	S96 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S99	108	S97 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S100	3	"20010039570"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S101	2	20020123957"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S102	2	"20030115182"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S103	1	S102 and matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19

S104	2	S102 and request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S105	0	S102 and translat\$ with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S106	0	S102 and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S107	1	S102 and translate\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S108	1	S102 and translat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S109	0	S102 and transfomation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S110	3	*6912551".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S111	0	S110 and transmission adj capab\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S112	116	business with matching with automat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S113	41	S112 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19

S114	41	S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29
S115	23	S113 and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S116	23	S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S117	2210	709/232,242.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S118	45493	707/1-10,100-104.1,200- 205.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S119	148	S117 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S120	115	S119 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S121	115	S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S122	1719	business with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S123	285	S122 and S118	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/29 10:19

S124	108	S123 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S125	108	S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S126	3	"6912551"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S127	2	"20030115182"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S128	0	S127 and transmission	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S129	49	protocol with translation with hub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S130	26	S129 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S131	25	protocol with translation with hub and stor\$4 with hub	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S132	20	protocol with translation with hub and stor\$4 with hub and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S133	4	protocol with translation with hub with format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/29 10:19

S134	3	protocol with translation with hub with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S135	609	protocol with translation with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S136	862	translation adj rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S137	10	S135 and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S138	5	S137 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S139	19218	translation with stor\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S140	162	translation adj rule with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S141	75	S140 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S142	4	transfer\$5 with translation adj rule with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S143	5974	transfer\$5 with format with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/29 10:19

S144	261	transfer\$5 with format with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S145	927	transfer\$5 with format with translat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S146	4	transfer\$5 with format with translat\$4 with business	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S147	3	S146 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S148	827	transfer\$3 with (format protocol) with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S149	382	S148 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S150	62	transfer\$3 with (format protocol) with stor\$3 with translation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S151	33	S150 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S152	2	*6967728".pn.	US-PCPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S153	1	S152 and stor\$3 with "16"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/29 10:19

S154	0	S152 and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S155	0	S152 and request\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S156	1	S152 and format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S157	2	"4047496".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S158	2	*7047496".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S159	2	*7047296".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S160	1131	map\$4 with port with (logical name url)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S161	1133	map\$4 with port with (logical name url)"ab."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S162	63	\$160.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S163	36	S162 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/08/29 10:19

S164	6942	generat\$4 with (WWN URL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S165	97	S164 with (prompt\$3 GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S166	43	S165 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 10:19
S167	2	"6631407".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 14:29
S168	1921	business with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 15:41
S169	6	business with matching with internet with company	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 15:42
S170	2	S169 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 15:42
S171	102	business with transmission with capabilities	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:23
S172	60	S171 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:24
S173	2	business with transmission with capabilities with matching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/03/05 16:24

S174	0	S173 and @ad<"20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:24
S175	2	S168 and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:25
S176	0	S175 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:25
S177	7	process with format with transmission adj capabilities	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:30
S178	3	S177 and @ad< "20020109"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/05 16:30

^{4/29/08 4:43:42} PM

C:\ Documents and Settings\ awang2\ My Documents\ EAST\ Workspaces\ 10042480.wsp